# This Page Is Inserted by IFW Operations and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

### IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

#### PATENT SPECIFICATION

640,241



Date of Application and filing Complete Specification: Jan. 3, 1946. No. 298/46.

Application made in Denmark on Jan. 15, 1945. Complete Specification Published: July 19, 1950.

Index at acceptance:—Classes 2(iii), Z; 49, D11; 81(i), B11b2(h: o); 84, A2; and 129, A5.

COMPLETE SPECIFICATION

#### Improvements in or relating to the Stabilization of Edible and Potable Substances against Oxidation

I, JOHAN ERNST NYBOP, a Subject of the King of Denmark, of Nr 43 Eggersvej, Hellerup, Denmark, do hereby declare the nature of this invention and in what manner the same is to be performed, to be particularly described and ascertained in and by the following statement:—

The present invention relates to a method for the stabilizing against oxida10 tion of edible or potable materials containing organic substances subject to deterioration by oxidation, especially the prevention of or suppression of oxidation processes which occur at a comparatively 15 high redox potential. Said materials generally contain unsaturated carbon compounds such as oxidizable flavouring substances and particularly fatty substances, carotinoids, vitamins, coffee 20 extract, chlorophyll, xanthophyll, lycopin and hormones

pin, and hormones. It is well known that a very great number of edible or potable materials containing constituents of the above kind are 25 liable to undergo undesirable changes on storage due to oxidation processes taking place in the material. The various cases of such deleterious oxidative changes are too numerous to be enumerated but some very 80 common and well known representative examples may be mentioned. Thus, fatty emulsions are liable to become rancid on lengthy storage, and they may assume a fishy or tallowy taste. If the attempt is 35 made to concentrate or dehydrate a coffee extract by evaporation, it loses its flavour. Vegetable oils are liable to become rancid in the course of time. Butter is also deteriorated by storage, and the same 40 applies, e.g., to bacon and fat-containing sausages and the like. Further examples of such deleterious oxidative changes are the loss of activity of preparations of vitamins and hormones on storage. In 45 the case of fatty substances, for example peroxides and free fatty acids may be formed by the oxidation process. If lecithin is present, trimethylamine will

easily be formed which gives the substances a fishy taste. But the oxidation 50 may also be of a different nature from that just mentioned. Thus, for example, in the case of fatty substances, oxidation may take place without peroxide or free fatty acids being formed or in any event 55 without these substances being formed in any detectable amount.

It is known that certain naturally occuring e.g., fatty substances, often contain substances which to a certain 60 extent protect the material against deterioration by oxidation. Generally they are not, however, able to prevent the materials from being subjected to undesirable alterations when it is stored 65 for a lengthy period.

Futhermore it is known that some of the oxidation changes mentioned above may be counteracted by the addition of various so-called antioxidants in small quantities. A fatty substance may thus be prevented from turning rancid by the substance being mixed with certain poly-phenols and amino-phenols. Substances such as diphenyl-guanidine, triethenolamine, alkylene-diaryl-diamines have also been proposed.

Most of the antioxidants hitherto

Most of the antioxidants hitherto known have, however the drawback that they are poisonous or give the material to 80 be stabilised a bad taste and smell.

A drawback in most of the antioxidants hitherto known is that their applicability is rather limited because they are only able to counteract certain oxidation processes and show activity only in certain substances and mixtures whereas they have no effect or at any rate a considerably decreased effect against other oxidation changes and in other substances and 90 mixtures.

These drawbacks are in accordance with the invention remedied by incorporating in the edible or potable material comprising the organic substances liable to 95 deterioration by oxidation, a small